

Message

---

**From:** Hunt, Virginia [Hunt.Virginia@epa.gov]  
**Sent:** 9/16/2021 3:48:03 PM  
**To:** Thomas, Deb [thomas.debrah@epa.gov]; Daly, Carl [Daly.Carl@epa.gov]; garrison.kaufman@state.co.us  
**CC:** Fruh, Steve [Fruh.Steve@epa.gov]  
**Subject:** CAA 114 Request for Ethylene Oxide Commercial Sterilization Facilities  
**Attachments:** TerumoBCT.Denchfield.pdf; Enclosure\_1\_114\_authority.pdf; Enclosure\_2\_emissions.pdf; Enclosure\_3\_CBI.PDF; Enclosure\_4\_Contractor Designation Letter (Authorized Representative).pdf

Pursuant to section 114 of the Clean Air Act (CAA), 42 U.S.C. §7414(a), the U.S. Environmental Protection Agency (EPA) is collecting information related to hazardous air pollutant emissions at ethylene oxide (EtO) commercial sterilization facilities to inform its review of the National Emissions Standards for Hazardous Air Pollutants (NESHAP) for Sterilization Facilities, 40 C.F.R. part 63, subpart O.

On September 14, 2021, the attached letter and files were mailed to the facility. If you have any questions, please contact Steve Fruh at [fruh.steve@epa.gov](mailto:fruh.steve@epa.gov).

Thank you,

*Virginia L Hunt*

Administrative Specialist  
OAQPS/SPPD/RCG  
109 T.W. Alexander Drive  
RTP, NC 27711  
Hours 6am – 2:30pm EST M-F